L	Hits	Search Text	DB	Time stamp
Number 1	6	((key keytop) adj3 ((replace\$4) with (key	USPAT;	2004/02/23
<b>-</b>	0	adi2 code)))	US-PGPUB;	07:08
		adjz code,,,	EPO; JPO;	07:08
			DERWENT;	
			IBM TDB	
2	154	((key keytop) with ((replace\$4) with (key	USPAT;	2004/02/23
_		adj2 code)))	US-PGPUB;	07:00
			EPO; JPO;	0,100
1			DERWENT;	
			IBM TDB	
3	56	((key keytop) near5 ((replace\$4) with	USPAT;	2004/02/23
-		(key adj2 code)))	US-PGPUB;	07:09
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
4	72	((key keytop) near5 ((removable movable	USPĀT;	2004/02/23
		replace\$4) with (key adj2 code)))	US-PGPUB;	07:09
			EPO; JPO;	
			DERWENT;	
_			IBM_TDB	
5	16	(((key keytop) near5 ((removable movable	USPAT;	2004/02/23
		replace\$4) with (key adj2 code)))) not	US-PGPUB;	07:11
		(((key keytop) near5 ((replace\$4) with	EPO; JPO;	
		(key adj2 code))))	DERWENT;	
6	0.7	///leas least as \ add \ // // / \ \ \ \ \ \ \ \ \ \ \ \ \ \	IBM_TDB	2004/00/00
٥	97	(((key keytop) with ((replace\$4) with	USPAT;	2004/02/23
		(key adj2 code)))) not (((key keytop)	US-PGPUB;	07:19
		near5 ((removable movable replace\$4) with	EPO; JPO;	
		(key adj2 code))))	DERWENT; IBM TDB	
7	1883	   keyboard with (key adj (identifier code))	USPAT;	2004/02/23
′	1005	keyboard with (key ad) (identified code))	US-PGPUB;	07:20
			EPO; JPO;	07.20
			DERWENT;	İ
			IBM TDB	
9	0	keyboard with (key adj (removable adj2	USPAT;	2004/02/23
		identifier))	US-PGPUB;	07:21
			EPO; JPO;	
l			DERWENT;	
j			IBM TDB	
8	16	keyboard with (key adj (identifier))	USPĀT;	2004/02/23
!			US-PGPUB;	07:21
İ			EPO; JPO;	
ł			DERWENT;	
			IBM TDB	

L	Hits	Search Text	DB	Time stamp
Number 1	6	((key keytop) adj3 ((replace\$4) with (key	USPAT;	2004/02/23
*		adj2 code)))	US-PGPUB;	07:08
			EPO; JPO;	
1			DERWENT;	
2	154	((key keytop) with ((replace\$4) with (key	IBM_TDB USPAT;	2004/02/23
		adj2 code)))	US-PGPUB;	07:00
			EPO; JPO;	
			DERWENT; IBM TDB	
3	56	((key keytop) near5 ((replace\$4) with	USPAT;	2004/02/23
		(key adj2 code)))	US-PGPUB;	07:09
			EPO; JPO; DERWENT;	
			IBM TDB	
4	72	((key keytop) near5 ((removable movable	USPAT;	2004/02/23
		replace\$4) with (key adj2 code)))	US-PGPUB; EPO; JPO;	07:09
			DERWENT;	
_	1.5		IBM_TDB	
5	16	<pre>(((key keytop) near5 ((removable movable replace\$4) with (key adj2 code)))) not</pre>	USPAT; US-PGPUB;	2004/02/23 07:11
		(((key keytop) near5 ((replace\$4) with	EPO; JPO;	07.11
		(key adj2 code))))	DERWENT;	
6	97	(((key keytop) with ((replace\$4) with	IBM_TDB USPAT;	2004/02/23
	, ,	(key adj2 code)))) not ((key keytop)	US-PGPUB;	07:19
		near5 ((removable movable replace\$4) with	EPO; JPO;	
		(key adj2 code))))	DERWENT; IBM TDB	
7	1883	keyboard with (key adj (identifier code))	USPAT;	2004/02/23
			US-PGPUB;	07:20
			EPO; JPO; DERWENT;	
			IBM TDB	
9	0	keyboard with (key adj (removable adj2	USPAT;	2004/02/23
		identifier))	US-PGPUB; EPO; JPO;	07:21
			DERWENT;	
	1.5		IBM_TDB	2004/00/02
8	16	keyboard with (key adj (identifier))	USPAT; US-PGPUB;	2004/02/23
			EPO; JPO;	
			DERWENT;	
_	2	keyboard and (self near2 defini\$4 near2	IBM_TDB USPAT;	2003/02/10
		key)	US-PGPUB	05:35
-	1		EPO; JPO; DERWENT;	2003/02/10 05:34
		key)	IBM TDB	05.53
-	3	keyboard and (relegendable near5	USPAT;	2003/02/10
	0	keyswitch) keyboard and (relegendable near5	US-PGPUB EPO; JPO;	05:49
		keyswitch)	DERWENT;	05:38
			IBM_TDB	0000/05/50
_	10	keyboard and (non\$2standard near5 key)	EPO; JPO; DERWENT;	2003/02/10 05:40
			IBM_TDB	
_	0	keyboard and (multifunctional near4 key	USPĀT;	2003/02/10
_	6341	near4 position)   keyboard and (key near4 position)	US-PGPUB USPAT;	05:51 2003/02/10
	3341		US-PGPUB	05:51
-	0	keyboard and (multifunctional with (key	USPAT;	2003/02/10
_	0	near4 position)) (keyboard and (key near4 position)) and	US-PGPUB USPAT;	05:52
		((inscription legend) near5 on near5	US-PGPUB	05:54
	070	keycap)	IISDAT.	2003/02/11
_	970	(keyboard and (key near4 position)) and (ident\$6 near5 (character function))	USPAT; US-PGPUB	2003/02/11 10:48
L	J	1 (140) incuto (character runction)	1 22 13102	1 - 2 - 3 0

•			•	
_	242	((keyboard and (key near4 position)) and (ident\$6 near5 (character function))) and pin	USPAT; US-PGPUB	2003/02/10 05:56
-	184		USPAT; US-PGPUB	2003/02/10 05:57
_	4	(keyboard and (key near4 position)) and (multibit near5 binary near5 code)	USPAT; US-PGPUB	2003/02/10 07:21
_	13		USPAT; US-PGPUB	2003/02/10 07:07
_	1	((((keyboard and (key near4 position)) and (ident\$6 near5 (character function)))	USPAT; US-PGPUB	2003/02/10 07:22
		and pin ) and location) and (multibit near5 binary near5 code)	US-PGPUB	07:22
-	0	(keyboard and (key near4 position)) and (multibit near5 binary near5 code)	EPO; JPO; DERWENT; IBM TDB	2003/02/10 09:00
-	34	((((keyboard and (key near4 position)) and (ident\$6 near5 (character function))) and pin ) and location) and (binary near5	USPAT; US-PGPUB	2003/02/10 07:22
-	533	code) keyboard and (key adj (data identifier))	EPO; JPO; DERWENT;	2003/02/10 09:04
-	0	(keyboard and (key adj (data identifier))) and (multibit near5 binary near5 code)	IBM_TDB EPO; JPO; DERWENT; IBM TDB	2003/02/10 09:05
_	1	•	EPO; JPO; DERWENT; IBM TDB	2003/02/10 09:01
-	0	(keyboard and (key adj (data identifier))) and (binary near5 code)	USPAT; US-PGPUB	2003/02/10 09:03
-	0		USPAT; US-PGPUB	2003/02/10 09:01
-	0		USPAT; US-PGPUB	2003/02/10 09:03
-	2822		USPAT; US-PGPUB	2004/02/22
_	3	(keyboard and (key adj (data identifier))) and (multibit near5 binary near5 code)	USPAT; US-PGPUB	2003/02/10 09:14
-	236		USPAT; US-PGPUB	2003/02/10 09:14
-	156		USPAT; US-PGPUB	2003/02/11 08:34
-	2	<pre>(keyboard and (key adj (data identifier))) and (multibit adj binary adj code)</pre>	USPAT; US-PGPUB	2003/02/10 09:34
-	556	keyboard with (key adj (data identifier))	USPAT; US-PGPUB	2003/02/10 09:40
-	0	<pre>(keyboard with (key adj (data identifier))) with (binary adj code)</pre>	USPAT; US-PGPUB	2003/02/10 09:35
-	37	(keyboard with (key adj (data identifier))) and (binary adj code)	USPAT; US-PGPUB	2003/02/10 09:33
-	341	keyboard near3 (disabled invalid)	USPAT; US-PGPUB	2003/02/10 09:45
-	0	(keyboard near3 (disabled invalid)) with (binary adj code)	USPAT; US-PGPUB	2003/02/10 09:35
-	1	(keyboard near3 (disabled invalid)) and (multibit adj binary adj code)	USPAT; US-PGPUB	2003/02/10 11:19
-	2	(keyboard near3 (disabled invalid)) and (self adj defin\$5 adj key)	USPAT; US-PGPUB	2003/02/10 09:37
_	0	(keyboard near3 (disabled invalid)) and (self adj defin\$5 adj key)	EPO; JPO; DERWENT; IBM TDB	2003/02/10 09:38
-	13	<pre>(keyboard near3 (disabled invalid)) and (keyboard with (key adj (data identifier)))</pre>	USPAT; US-PGPUB	2003/02/10 09:41
_	0	keyboard adj for adj (disabled invalid)	USPAT; US-PGPUB	2003/02/10 09:46

			_	
-	0	keyboard adj for adj (disabled invalid)	EPO; JPO; DERWENT;	2003/02/10 09:46
_	83	keyboard near3 (disabled invalid)	IBM_TDB EPO; JPO;	2003/02/10
			DERWENT; IBM_TDB	10:30
-	0	keyboard and (self\$lidetifi\$6 adj key)	USPAT; US-PGPUB	2003/02/10 12:17
_	2	keyboard and (self adj defin\$4 adj key)	USPAT; US-PGPUB	2003/02/10 12:25
-	1	keyboard and (self adj defin\$4 adj key)	EPO; JPO; DERWENT; IBM TDB	2003/02/10 12:23
_	4	keyboard and (self near5 defin\$4 near5 key)	EPO; JPO; DERWENT; IBM TDB	2003/02/10 12:23
_	6	keyboard and (self near5 defin\$4 near5 key)	USPAT; US-PGPUB	2003/02/10 12:28
-	2313	keyboard and (key adj code)	USPAT; US-PGPUB	2003/02/10
-	0	keyboard and (multibit adj binary adj key adj code)		2003/02/10
-	3	keyboard and (bit adj binary adj key adj code)	USPAT; US-PGPUB	2003/02/10
-	19	keyboard and ( binary adj key adj code)	USPAT; US-PGPUB	2003/02/10
-	0	<pre>(keyboard and (key adj (data identifier))) and (serial adj binary adj code)</pre>	USPAT; US-PGPUB	2003/02/11 08:35
_	15	(keyboard) and (serial adj binary adj code)	USPAT; US-PGPUB	2003/02/11 08:39
-	0	(keyboard) with (serial adj binary adj code)	USPAT; US-PGPUB	2003/02/11
-	1	(keyboard) same (serial adj binary adj code)	USPAT; US-PGPUB	2003/02/11
-	8	(keyboard and (key near4 position)) and (ident\$6 near5 (character function)) and (capacitive adj switches)	USPAT; US-PGPUB	2003/02/11
-	1	4712092.pn.	USPAT; US-PGPUB	2003/06/10
-	8	4712092.URPN.	USPAT	2003/06/10
-	8	4712092.URPN.	USPAT	2003/06/10
-	113	keyboard and (removable adj3 (key button))	USPAT; US-PGPUB	2003/06/10
-	28	keyboard with (removable adj3 (key button))	USPAT; US-PGPUB	2003/06/10
-	15	keyboard same (removable adj (key button))	USPAT; US-PGPUB	2003/06/10
_	2551	keyboard and (key adj (code))	USPAT; US-PGPUB	2004/02/22
_	1531	keyboard with (key adj (code identifier data))	USPAT; US-PGPUB	2004/02/22
-	7	keyboard with (key adj (binary adj3 code))	USPAT; US-PGPUB; EPO; JPO;	2004/02/22
_	0	keyboard with (key adj (identifier adj3 code))	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/22 09:58
_	3	keyboard with (key near3 (identifier adj3 code))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/22

-	5	keyboard same (key near3 (identifier adj3 code))	USPAT; US-PGPUB; EPO; JPO;	2004/02/22 10:00
			DERWENT; IBM_TDB	
-	0	keyboard with (key adj (movable adj3 (code identifier)))	USPAT; US-PGPUB	2004/02/22
-	1	keyboard and (key adj3 (movable adj3 (code identifier))) keyboard same (key adj3 (movable near3	USPAT; US-PGPUB USPAT;	2004/02/22   10:05   2004/02/22
_		(code identifier))) keyboard same (key adj3 ((removable	US-PGPUB USPAT;	10:07
		movable replace\$4) with (code identifier)))	US-PGPUB	10:11
-	10	<pre>keyboard same (key adj3 ((removable movable replace\$4) with (code identifier)))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/22 10:34
_	4	<pre>(keyboard same (key adj3 ((removable movable replace\$4) with (code identifier)))) not (keyboard same (key adj3 ((removable movable replace\$4) with (code identifier))))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/22
-	1	keyboard same ((key keytop) adj3 ((removable movable replace\$4) with (key adj2 code)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/22
-	45	((key keytop) with ((removable movable replace\$4) adj3 (key adj2 code)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/22 10:21
-	20	((key keytop) with ((removable movable replace\$4) adj (key adj2 code)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/22 10:22
-	8	((key keytop) adj3 ((removable movable replace\$4) with (key adj2 code)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/23 06:56
-	75	((key keytop) with ((removable movable replace\$4) near3 (key adj2 code)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/22 10:27
-	2	keyboard same (key adj3 ((movable) with (code identifier)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/22 10:45
-	2	4879557.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/22 10:49
-	11	4879557.URPN.	IBM_TDB USPAT	2004/02/22
-	127	keyboard adj disabled	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/22
-	417	keyboard near3 disabled	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/22 10:51

-	0	(keyboard near3 disabled) with (movable	USPAT;	2004/02/22
	1	adj2 key)	US-PGPUB;	10:53
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	0	(keyboard near3 disabled) with (movable	USPAT;	2004/02/22
		adj2 code)	US-PGPUB;	10:53
			EPO; JPO;	1 10.00
			DERWENT;	]
			IBM TDB	]
_	0	(keyboard near3 disabled) with (movable	USPAT;	2004/02/22
		adj2 identifier)	US-PGPUB;	10:53
			EPO; JPO;	10.33
			DERWENT;	
_	0	(keyboard near3 disabled) with ((movable	IBM_TDB	2004/02/22
	1	replac\$4 change\$4) adj2 key)	USPAT;	2004/02/22
		repracys changess, adjz kekl	US-PGPUB;	10:55
			EPO; JPO;	
			DERWENT;	
		/11	IBM_TDB	
_	0	(	USPAT;	2004/02/22
		replac\$4 change\$4) adj2 code)	US-PGPUB;	10:55
			EPO; JPO;	l
			DERWENT;	
			IBM_TDB	
_	116	( 2 ,	USPAT;	2004/02/22
		replac\$4 change\$4) near22 key)	US-PGPUB;	11:00
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	8	(	USPAT;	2004/02/22
		replac\$4 change\$4) near22 key)	US-PGPUB;	10:56
	1		EPO; JPO;	
	1		DERWENT;	
			IBM TDB	
-	2	( ··· _ ] ·· - ·· · · · · · · · · · · · · · · ·	USPAT;	2004/02/22
		((movable replac\$4 change\$4 place\$4)	US-PGPUB;	11:02
		near2 key)	EPO; JPO;	
		-	DERWENT;	
			IBM TDB	
_	101	(keyboard near3 handicap\$4)	USPAT;	2004/02/22
		• • •	US-PGPUB;	11:36
	1		EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	0	(keyboard near3 handicap\$4) and movable	USPAT;	2004/02/22
		adj2 key	US-PGPUB;	11:37
		,,,	EPO; JPO;	1
			DERWENT;	1
	1		IBM TDB	
	1	1	T TOLI TOD	ı